

METHOD (complete one survey form per pond)

Aims: To find out if Starfruit is i) present in the pond, ii) get an approximate idea of its location and abundance in the pond, iii) collect physical data about the pond that can be used to assess the reasons for any change recorded on future visits, and iv) look in any adjacent ponds to see if Starfruit is present or absent.

- **Equipment:** It's helpful to take a camera (e.g. mobile phone camera) to take confirmatory photos of Starfruit, to take photos of your survey pond for the record, and to take a photograph of your sketch maps if you don't have access to a scanner alternatively you can post your survey forms to Freshwater Habitats Trust.
- **Survey timing:** Starfruit can be in flower from [May] June through to August, however, the plants are at their most distinctive phase when the fruits develop and we would suggest that June to July [August] is the optimum time for survey.
- Where to look: Starfruit is restricted to ephemeral ponds with naturally fluctuating water levels. Typically these ponds are found within traditionally grazed heathland commons on sandy or gravelly soils, where the poaching of animals creates exposed muddy margins. Search for it across all of the pond's dry marginal areas and in shallow water close to the edge of the pond.
- **Survey the pond:** If Starfruit plants are found in the pond, count the total number of plants per pond. If there are more than 200+ plants you may want to make an estimate of the number of plants present, and record the results as an abundance category (over page).
 - The best approach is to count the plants in a small area (e.g. 10 cm² or 1 m²), and multiply this by the area in which Starfruit plants are found. If Starfruit occurs in different densities in different parts of the pond, make separate calculations for each area, and add them to give a total (see table over page). *Note: we only need the overall total for the pond.*
- Mark the location of plants: Print a map to show <u>the location of Starfruit plants within the pond</u>. This may help you and others in the future to search the same area. Remember to <u>fill out the pond habitat survey form</u> for each pond surveyed.
- **Record absence:** If Starfruit is <u>not found</u> at the pond, please record this, and continue to fill out the pond habitat survey form. The findings will help identify reasons for the plant's absence from the pond.
- Check other ponds and pools in the surrounds: Finding out if Starfruit occurs in other nearby ponds helps us to understand the species as part of a larger population. We would like you to visit as many ponds as possible on the site each year to monitor population change.
- Mark the location of ponds: It will be helpful to revisit all surveyed ponds in future years. So, to ensure they can be found again by yourself or others please (a) provide an accurate grid reference and/or mark the locations on your PondNet base map, or (b) sketch a map of location of ponds, and (c) take photos. Then, upload the maps and photos to the website.

Once completed, enter your results online: www.freshwaterhabitats.org.uk/projects/waternet, or email your recording forms and maps to Freshwater Habitats Trust and we can enter the data for you: info@freshwaterhabitats.org.uk.

What it looks like: Starfruit has broad leaves on long stalks. If the plant is submerged the leaves will float on the surface of the pond, and these may be somewhat narrower than the broad aerial leaves. If the plant is not submerged, the leaves will be aerial and robust. The flowers are white with three petals like other water plantains, however Starfruit can easily be recognised by the ripened carpels, of which there are 6 arranged in a pointed star, hence the name Starfruit.







Starfruit: (a) ripened stamens in the shape of a 6 pointed star, (b) starfruit plant leaves and ripened stamens, (c) submerged starfruit in flower © Peter Wakely/Natural England



Starfruit (*Damasonium alisma*) RARE SPECIES RECORDING FORM (PAGE 2 of 4)

LOTTERY FUNDED

4:										
Your name				Date						
Square: 4 figure grid ref e.g. SP1243 (see your map)				P <mark>ond</mark> : 8 figure grid ref 5 4325 (see your map)						
Pond name	oc your map)		c.g. 01 120	5 +525 (300 your map)						
(if known) Determiner nan	ne (optional - if		Vouch	ner material (<u>optional</u> -						
Determiner name (optional - if someone confirms the identity				ou've taken a photo to						
of the species yo	,	efirm etamon hata. Varia	on oloo toko o v	confirm identification)		th are if				
		nfirmatory photo. You ca m with the record <u>www.</u>				them ii				
<u> </u>	tarfruit in you		1m ²) and multir	nly un. We've nut a table l	pelow to help you ke	en track				
If there are many plants, count the number in a small area (i.e. 1m²) and multiply up. We've put a table below to help you keep track and make notes, but for the analysis we only need a total .										
		d (list): use this table to an re-find plants on futu		ır number	Number of individuals					
1.										
2.										
3.										
4.										
5.										
Total number of Starfruit (total count) Provide a single total for the whole pond based on an actual or estimated number of plants recorded										
Total number of Starfruit (abundance category) Then record the number of Starfruit found in the pond using the following abundance categories: 1, 2-5, 6-10, 11-20, 21-50, 51-100, 101-200, 201-500, 501-1000, 1001-5000, 5001-10000, 10001-20000, 20001+										
	Note: if yo	ou <u>don't</u> find evidence of S		Starfruit looked fo and, this is an important re these findings online (tick	esult so please still					
he location of Starfr		ap of your pond and draw hey cover a broad area, o ants.	or 'x' 📗 and su	ion map: Use this box to rrounding ponds you seat base map included in you	rched (or mark the i	nformation				
					he lot	ritage tery fund				



RARE SPECIES RECORDING FORM (PAGE 3 of 4)

Please complete a POND HABITAT SURVEY sheet at <u>each pond</u> surveyed.

This is a really important part of the survey at your pond. Please complete this form whether Starfruit is present or absent. Each variable provides information known to be linked to pond quality and community type, and can be used to investigate reasons for change in Starfruit occurrence.

Go to: www.freshwaterhabitats.org.uk/projects/pondnet/survey-options/habitats for survey guides and more information.

Is the pon yes, no, ur	•	han 10 yrs old)	d	Year of creation		Pond Altitude (m)				
Area	. . —									
m ²	probably not	be the current water	level of the p	oond. The high wat	er level line shou	usually in early spring). It will ald be evident from wetland = 0.8-1m) or use online maps.				
		•	_	• •	• , • ,	,				
Pond drie	1 = never drie 2 = rarely drie 3 = sometime 4 = annually	drought, 3 = So 4 = Dries annu	metimes drie ally. Deduce nent e.g. wat	es: dries between t pond permanence	three years in ter from local know	ny ten year period, or only in not most years, ledge (e.g. landowner) and onds that dry out annually				
Overhang	ing trees & sh	rubs			This is an estima	ate of how much of the pond is				
	% of pond ov	verhung by trees and gin overhung to at lea		the pond margin	g by trees and shrubs, i.e. that d if the sun was overhead (use					
	, ,				the diagram (bel	, ,				
Waterfow	impact 1 = major 2 = minor 3 = none	Major = severe impact of waterfowl e.g. few or no submerged plants, water turbid, pond banks have patches where vegetation removed, feed put down; Minor = waterfowl present, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; None = no evidence of waterfowl impact (moorhens may be present).								
Fish prese	1 = major 2 = minor 3 = possible 4 = absent	Major = dense populations of fish known to be present; Minor = small numbers of Crucian Carp, goldfish or stickleback known to be present; Possible = no evidence of fish, but local conditions suggest that they may be present; Absent = no records of fish stocking and no fish revealed during survey.								
Disturban	ce by dogs	Major = dogs rep	eatedly use t	the pond, compacte	ed edges with litt	le vegetation, water very				
	Major = dogs repeatedly use the pond, compacted edges with little vegetation, water very turbid; Minor = dogs use the pond, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; None = no evidence that dogs are using the pond.									
Aquatic ve	egetation: incl	udes emergent float	ing and subn	nerged plants						
%	**Aquatic vegetation: includes emergent, floating and submerged plants **We of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed) **One of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed) **One of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed) **One of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed) **One of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed)									
%		ater surface area covered by all vegetation (emergent, floating eed) and submerged).								
Water left	in the pond									
%		rea in pond relative t In be 0% if the pond	n winter	Drawdown height (height difference						
cm		vn. The height drop from the maximum ater level to current level (see diagram). water level Current water level current water level								
Grazing	Tick if there i	s evidence the pond	is grazed by	livestock. If yes , c	omplete the follo	wing boxes:				
%	% of whole pond grazed (note: stock can wade into shallow ponds to graze).									
% of pond perimeter grazed (note: stock can wade into shallow ponds to graze otherwise inaccessible edges										
Grazing intensity: rank 1-5 (1=infrequent or low intensity to 5 = margins heavily poached and almost bare).										
	agement (tick dredged	x): use tick boxes to li Partly dredged		nt within the last 12 >5% vegetation rem		er' box for any extra info. <5% vegetation removed				
Tree	s planted	Trees clear-fe	lled	Trees cut back / cop	piced	Pond changed shape / size				
	ts introduced	Bank plants m		Structural work e.g.		Straw added				
	[
Add other or more detail										





RARE SPECIES RECORDING FORM (PAGE 4 of 4)

Water quality:													
Turbidity / water clarity: I	Estima	ite turbi	dity loo	king dow	n int	to c.20	cm dep	pth o	f water	in the p	ond.		
1 = clear; 2 = moderately clear; 3 = moderately turbid; 4 = turbid													
Inflows and outflows: (tic	k if infl	ow or ou	ıtflow pr	esent or l	eave	blank)							
Inflow present Outflow present													
Water chemistry: If suitable kits and meters are available (or leave blank)													
рн	pH Conductivity (μS cm-1)												
Nitrate (NO³N ppm): PPW kits provided by FHT Phosphate (PO₄³P ppm): PPW kits provided by FHT													
(tick one from the following	categor	ries) (tick one from the following range categories)											
<0.2 0.2-0.5 0.5-1	1-2	2-5	5-10	10 +		<0.02	0.02-0	0.05 0	.05-0.1	0.1-0.2	0.2-0.5	0.5-1	1+
Pond base : This refers to the <i>geology</i> (i.e. rock-type) that immediately underlies the pond. You may know, or be able to see the													
underlying geology in the base													
Choose one of the followin	ĭ	_		-			f p <u>ond</u>						
Silt/ clay		, gravel,			_	d rock			'eat		**	ase specif	y)
Surrounding land use: Estimate the <u>percentage</u> of surrounding land-use in distance zones from the pond perimeter (i.e. the maximum winter water level) used to assess pond area. In many ponds the 0-5m zone will include surrounding trees/scrub.													
			ond area	a. In many	ponds	s the 0-5				surroundin	ig trees/sci	rub.	
Habitat		0-100m							nples				
Trees, woodland & scrub	%	%		ous and co									
Heath & moorland				d and upla									
Rank vegetation				<u> </u>								d buffer sti	•
Unimproved grassland				ch, calcare rcentage o								sually pres	ent).
				ition catego									
Semi-improved grassland				e grazing,									
Improved grassland												d golf greei	ns.
Arable			All crops. Includes flower and fruit crops (e.g. strawberries) and ploughed land.										
Urban buildings & gardens			Areas in curtilage (associated with buildings); including glass-houses and farm yards.							ls.			
Roads, tracks & paths			Including car-parks and footpaths.										
Rock, stone & gravel			Cliffs, rock-outcrops, gravel-pits, quarries, areas of sand and gravel or stone.										
Bog, fen, marsh & flush			Wetland vegetation and blanket bog.										
Ponds & lakes			Permanent and seasonal waterbodies; including trackway pools.										
Streams & ditches			Rivers, streams, ditches, springs and canals.										
Other (state)			E.g. ma	ritime vege	etatior	n, saltm	arsh, sa	and-du	une, orc	hards and	railways.		
Other (state) E.g. maritime vegetation, saltmarsh, sand-dune, orchards and railways. Is the pond in a protected area? (e.g. nature reserve, SSSI, etc.) (choose one option - yes, no, unknown)											-		
New Zealand Pigmyweed	-		•	_				, ,		•	-	<i>a </i>	
							•	ve an	impact	011 11113 3	poolos.		
% of drawdown zone occupied by New Zealand Pigmyweed													
Identification of New Zealand Pigmyweed:										40 204 3			
Can be submerged, emergent and terrestrial.													
Forms dense mats below and above the water surface.													
					lam),	whitiah			TIF				Trans.
	 The flowers it has, if any at all, are very small (less than 1cm) whitish- green to slightly pink with 4 petals. 												
 Leaves are up to 2cm long in opposite pairs - fleshy for emergent plants, but flatter for submerged parts of the plant. 									"				
 Similar species (such a a notch at the leaf tip w 							es. Wat	iter-sta	arworts	also have	е		
Other invasive non-native species: (tick all that apply)			Floating Pennywort Hydrocotyle ranunculoides Non-native Pondweed, e.g.: Canadian Pondweed Ellodea canadensis,										
Parrot's Feather			Water Fern Nuttall's Pondweed <i>Elodea nut</i>						nutallii,				
Myriophyllum aquaticum			AZOII	a filiculoid	es				Carry VV	ator wood	Lagarosi		———
How much of pond perimeter could be surveyed? Note areas of pond not accessible.													
Comments box: e.g. new	Comments box: e.g. new ownership, changes												
since previous visit, any other information about the pond or survey species.													