

RARE SPECIES RECORDING FORM (PAGE 1 of 4)

METHOD (complete one survey form per pond)


Aims: To find out if Floating Water-plantain is i) present in the pond, ii) get an approximate idea of its location and abundance in the pond, iii) collect physical data about the pond that can be used to assess the reasons for any change recorded on future visits, and iv) look in any adjacent ponds to see if Floating Water-plantain is present or absent. Floating Water-plantain is a rare aquatic plant found in ponds, lakes, tarns and canals. This methodology has been developed primarily to monitor Floating Water-plantain populations in ponds on the Flagship Pond sites where it occurs https://freshwaterhabitats.org.uk/projects/flagship.

- **Equipment:** It's helpful to take a camera to take confirmatory photos of Floating Water-plantain, to take photos of your survey pond for the record, and to take a photograph of your sketch maps if you don't have access to a scanner alternatively you can post your survey forms to Freshwater Habitats Trust.
- Survey timing: Floating Water-plantain is best surveyed between June and August.
- Where to look: We are interested in monitoring Floating Water-plantain in pond habitats. Here plants may grow in deep
 or shallow water and on the bare mud of temporary pools which dry up in the summer. Look for submerged and floating
 leaves across the entire pond area, wet or dry.
- Survey the pond: The pond will have a previous record for Floating Water-plantain, although the plant may not have been recorded for some time. Search the pond for Floating Water-plantain plants, and if found, <u>estimate abundance</u> (see below), draw a sketch map to show <u>the location and extent of Floating Water-plantain</u> and, <u>fill out the habitat survey form</u> for each pond surveyed.
- How to estimate abundance: Floating Water-plantain has overlapping leaves, so it is difficult to count individual plants.
 Abundance therefore needs to be an <u>estimate of plant cover</u>. To help standardised these estimates we are using two measures of abundance, the area in m² and the percentage of the pond occupied.

Measurement 1. Area covered by Floating Water-plantain: The aim is to record the total area of the Floating Water-plantain (in m^2). To do this, record the size of each patch of plants, e.g. $(1m \times 1m) + (1m \times 2m) = 3m^2$. It can help to record a number of patches by imagining them grouped together to make a square or rectangle. Note: We only need to know the total area of Floating Water-plantain to monitor the pond.

Group-up small patches to make them easier to record





1m Patch = 2m²

Measurement 2. Percentage of the pond occupied by Floating Water-plantain:

The aim is to estimate the percentage of the pond that Floating Water-plantain occupies. Use the density chart (right), or imagine that the plants are grouped together at their maximum *natural* density in one part of the pond.











- **Recording absence:** If Floating Water-plantain <u>is not</u> found, please record this, and continue to fill out the environmental sheet. The findings will help identify reasons for the plant's absence.
- Check other likely habitats in the surrounds: Finding out if Floating Water-plantain occurs in other ponds within the same site helps us to understand if the species is part of a larger population, which may be important for its survival. Visit other ponds to see if Floating Water-plantain is present. Complete a new form for each pond searched.
- Mark the location: It will be helpful to revisit these ponds in future years. To ensure they can be found again by yourself or others please (a) provide an accurate grid reference, or (b) make a sketch of the ponds where you have searched and (c) take lots of photos!

Once completed, enter your results online: www.freshwaterhabitats.org.uk/projects/waternet, or give your recording forms and maps to your regional project officer and we can enter data for you: info@freshwaterhabitats.org.uk.

What it looks like: Floating Water-plantain can be hard to identify as it is very variable and may look superficially like Lesser Water-plantain *Baldellia ranunculoides* or Water-plantain *Alisma plantago-aquatica*. Plant growth is mostly vegetative and the presence of flowers is often rare and short lived.

Look out for (i) leaves - linear submerged leaves (up to 100mm) and, or small oval floating leaves (up to 25mm), (ii) vegetative stolons (a unique feature which no other water-plantain has), and (iii) flowers — usually one per plant (c.1.5cm), on long stems, with three white petals and a yellow centre.



Floating Water-plantain: Leaves and flowers © Richard Lansdown



RARE SPECIES RECORDING FORM (PAGE 2 of 4)

Your name				Date		
Square: 4 figure grid ref	Pond: 8 figure grid ref					
e.g. SP1243 (see your map)		e.g. SP	1235 4325 (see your map)		
Pond name (if known)						
Determiner name (optional - if				erial (<u>optional</u> -		
someone confirms the identity	comment if you've ta					
of the species you've recorded)				identification)		
If you find Floating Water-plantain p scan them if you have a scanner) a						
Abundance of Floating W	ater-plantain in yo	ur pond				
Record the area of Floating Water-pl zone that would be wet in winter, but same pond, use the table below to re	may be dry in summer. If	there are se	everal differer	nt patches of Floatin	g Water-plantair	n in the
Areas where Floating Water-pla	antain was found (list)	: use this t	able to	Area of Floating	ng Area of	Floating
help with your area calculations, and so you/others can re-			its on	Water-plantai		plantain
future visits.				(m²)	(,	%)
1.						
2.						
3.						
4.						
5.						
	Total a	rea covere	d by Floatii	ng Water-plantai	n nlants (m²)	
Provide a si	ngle total for the whole po					
	Tatala		a al la co El a a ti		: l t (0/)	
Provide a si	ngle total for the whole po	ond based o	n an actual or	ing Water-planta estimated area of p	plants (%)	
				ain looked for, b		
Note	e: if you <u>don't</u> find evidence result so pl			iin at the pond, this ings online (tick box		
				Area of	bare ground	
% of the w	hole pond where bare gro			disturbance from pooth wet and dry are		%
Pond sketch map: Make a sketch	n map of your pond and dr	aw on	Location	map: Use this bo	x to show the lo	cation of
the location of Floating Water-plantain: use shading if they cover a broad area, or 'x' marks the spot if there are just a few plants. the pond and surrounding ponds you searched (or not the information on the base map included in your sit information pack).				(or mark		





RARE SPECIES RECORDING FORM (PAGE 3 of 4)

Please complete a HABITAT SURVEY sheet at each pond surveyed.

This is a really important part of the survey. Please complete this form whether Floating Water-plantain is present or absent. Each variable provides information known to be linked to site quality and community type, and can be used to investigate reasons for change in Floating Water-plantain occurrence. If you are surveying non-pond habitat – complete all variables that apply.

Go to: www.freshwaterhabitats.org.uk/projects/pondnet/survey-options/habitats for survey guides and more information.

Is the pone	,	han 10 yrs old)	Year of crea date, decade, unk		Pond Altitude (m)	
Area		· · · · · · · · · · · · · · · · · · ·	_			
m ²	probably not	be the current water level of	of the pond. The high w	ater level line shou	sually in early spring). It will ld be evident from wetland : 0.8-1m) or use online maps.	
Pond dries		·	• • • • • • • • • • • • • • • • • • • •	• • • •	y ten year period, or only in	
	1 = never drie 2 = rarely drie 3 = sometime 4 = annually	drought, 3 = Sometimes 4 = Dries annually. De	es dries: dries betwee educe pond permanen g. water level at the tim	n three years in ten ce from local knowle		
Overhangi	ing trees & sh	nrubs		This is an estima	te of how much of the pond is	
	% of pond ov	verhung by trees and shrub		directly overhung would be shaded	by trees and shrubs, i.e. that lift the sun was overhead (use	
	,			the diagram (belo	, , ,	
Waterfowl	impact 1 = major 2 = minor 3 = none	Major = severe impact of waterfowl e.g. few or no submerged plants, water turbid, pond banks have patches where vegetation removed, feed put down; Minor = waterfowl present, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; None = no evidence of waterfowl impact (moorhens may be present).				
Fish prese	ence	Major = dense population	ons of fish known to be	present; Minor = s	mall numbers of Crucian	
	1 = major 2 = minor 3 = possible 4 = absent	Carp, goldfish or sticklet	back known to be prese	ent; Possible = no	evidence of fish, but local s of fish stocking and no fish	
Disturbanc	ce by dogs	Major = dogs repeatedly	v use the pond compa	cted edges with little	e vegetation, water very	
	1 = major 2 = minor 3 = none	Major = dogs repeatedly use the pond, compacted edges with little vegetation, water very turbid; Minor = dogs use the pond, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; None = no evidence that dogs are using the pond.				
Aquatic ve	egetation: incl	udes emergent, floating and	d submerged plants	100/		
. %	% of the who	ole pond (wet and dry) occurasses, water mint and rushed (e.g. water-crowfoot) spe	pied by emergent vegenes, but not floating (e.g			
%		ater surface area covered bedeen and submerged).	by all vegetation (<u>emero</u>	gent, floating 80%		
Water left	in the pond					
%		rea in pond relative to maximum water an be 0% if the pond has dried out. Maximum winter water level Drawdown hei (height difference)				
cm		The height drop from the maximum current water level (see diagram). Water level Current water level current water level				
Grazing	1					
	Tick if there i	s evidence the pond is graz	zed by livestock. If yes ,	complete the follow	ving boxes:	
%	% of whole pond grazed (note: stock can wade into shallow ponds to graze).					
%	% of pond pe	erimeter grazed (note: stock	can wade into shallow	ponds to graze oth	nerwise inaccessible edges).	
	Grazing inter	nsity: rank 1-5 (1=infrequen	t or low intensity to 5 =	margins heavily po	ached and almost bare).	
Pond man		(): use tick boxes to list mana	•		•	
	dredged	Partly dredged	>5% vegetation re		<5% vegetation removed	
Trees planted		Trees clear-felled	Trees cut back / c		Pond changed shape / size	
					Straw added	
Pian	ts introduced	Bank plants mown	Structural work e.	y. to dattiS	onaw added	
Add other o	or more detail					



RARE SPECIES RECORDING FORM (PAGE 4 of 4)

Water quality:						
Turbidity / water clarity: Estimate turbidity looking down into c.20cm depth of water in the pond.						
1 = clear; 2 = moderately clear; 3 = moderately turbid; 4 = turbid						
Inflows and outflows: (tick if inflow or outflow present or leave blank)						
Inflow present Outflow present						
Water chemistry: If suitable kits and meters are available (or leave blank)						
pH Conductivity (μS cm-1)						
Nitrate (NO ³⁻ -N ppm): PPV	V kits p	rovided	by FHT Phosphate (PO₄3P ppm): PPW kits provided by FHT			
(tick one from the following						
<0.2 0.2-0.5 0.5-1 1-2 2-5 5-10 10 + <0.02 0.02-0.05 0.05-0.1 0.1-0.2 0.2-0.5 0.5-1 1 +						
Pond base: This refers to the <i>geology</i> (i.e. rock-type) that immediately underlies the pond. You may know, or be able to see the underlying geology in the base or banks of the pond, especially in new ponds. If not, check a geology map or leave this section blank. Choose one of the following to categorise the % composition of <u>each</u> of pond base: 1= 0-32%, 2= 33-66%, 3= 67-100% Silt/ clay Sand, gravel, cobbles Hard rock Peat Other (please specify)						
			entage of surrounding land-use in distance zones from the pond perimeter (i.e. the bond area. In many ponds the 0-5m zone will include surrounding trees/scrub.			
Habitat		0-100m	Examples			
			•			
Trees, woodland & scrub	%	%	Deciduous and coniferous woodland, individual trees, scrub and hedgerows.			
Heath & moorland			Lowland and upland heathland, moorland and mountain; includes bracken.			
Rank vegetation			Unmanaged grass, neglected and abandoned land, set-aside, verges and buffer strips.			
Unimproved grassland			Herb-rich, calcareous and acid grassland (good quality plant indicators usually present). Low percentage of agricultural grasses. Not fertilised, little or no drainage.			
Semi-improved grassland			A transition category. Grasslands modified by fertilisers, drainage, herbicides or intensive grazing, but retaining elements of natural grassland types in the area.			
Improved grassland			Fertile agricultural grass, often bright green and lush; including parks and golf greens.			
Arable			All crops. Includes flower and fruit crops (e.g. strawberries) and ploughed land.			
Urban buildings & gardens			Areas in curtilage (associated with buildings); including glass-houses and farm yards.			
Roads, tracks & paths			Including car-parks and footpaths.			
Rock, stone & gravel			Cliffs, rock-outcrops, gravel-pits, quarries, areas of sand and gravel or stone.			
Bog, fen, marsh & flush			Wetland vegetation and blanket bog.			
Ponds & lakes	Permanent and seasonal waterbodies; including trackway pools.					
Streams & ditches			Rivers, streams, ditches, springs and canals.			
Other (state)			E.g. maritime vegetation, saltmarsh, sand-dune, orchards and railways.			
Is the pond in	a prot	ected a	rea? (e.g. nature reserve, SSSI, etc.) (choose one option - yes, no, unknown)			
New Zealand Pigmyweed	Cras	sula hel	<i>msii</i> : This non-native weed may have an impact on this species.			
% of drawdown	zone	occupied	d by New Zealand Pigmyweed			
Identification of New Zea	land F	Pigmywe	eed:			
Can be submerged, emergent and terrestrial.						
Forms dense mats below and above the water surface.						
 The flowers it has, if any at all, are very small (less than 1cm) whitish- green to slightly pink with 4 petals. 						
Leaves are up to 2cm long in opposite pairs - fleshy for emergent plants,						
 but flatter for submerged parts of the plant. Similar species (such as the Water-starworts) do not have fleshy leaves. Water-starworts also have 						
a notch at the leaf tip which is absent in New Zealand Pigmyweed.						
Other invasive non-native (tick all that apply)	Other invasive non-native species:Floating PennywortNon-native Pondweed, e.g.:(tick all that apply)Hydrocotyle ranunculoidesCanadian Pondweed Ellodea canadens					
Parrot's Feather Water Fern			N (W B) L LEL (W)			
How much of pond perimeter could be						
surveyed? Note areas of pond not accessible.						
Comments box: e.g. new ownership, changes since previous visit, any other information about the pond or survey species.						