

METHOD (complete one survey form per site)

Aims: To find out if Yellow Centaury is i) present, ii) get an approximate idea of its location and abundance, iii) collect physical data that can be used to assess the reasons for any change recorded on future visits, and iv) look in any adjacent ponds to see if Yellow Centaury is present or absent.


- **Equipment:** It's helpful to take a camera (e.g. mobile phone camera) to take confirmatory photos of Yellow Centaury, to take photos of your survey site for the record, and to take a photograph of your sketch maps if you don't have access to a scanner – alternatively you can post your survey forms to Freshwater Habitats Trust.
- **Survey timing:** Yellow Centaury is a short-lived flowering plant, which can be hard to find due to its small size. It is best surveyed between July and September, although seed pods may still be visible in October.
- **Where to look:** Yellow Centaury typically grows on the sparsely vegetated edges of heathland trackways, pinch points around gateways, serpentine heaths and acid grassland pools and ruts; where the ground has been hard grazed by livestock.
- **Likely habitats:** The habitat is best described as winter wet; where standing water collects during the winter, draining away to leave sandy patches of bare ground in the summer. Typical plant associates to look out for include Coral Necklace *Illecebrum verticillatum*, Knotgrass *Polygonum aviculare*, Marsh Cudweed *Gnaphalium uliginosum*, Allseed *Radiola linoides*, Chaffweed *Anagallis minima* and Toad Rush *Juncus bufonius*.
- **Survey the area indicated on your map:** The site will have a previous record for Yellow Centaury, although the plant may not have been recorded for some time. Search the area indicated in your site pack for Yellow Centaury plants, and if found, estimate the number of plants (see below), draw a sketch map to show the location and extent of Yellow Centaury and, fill out the habitat survey form overleaf.
- **How to estimate abundance:** It can be hard to count the number of plants, especially if they are closely growing or very numerous. The best approach is to count the plants in a small area (e.g. 10 cm² or 1 m²), and multiply this by the area in which Yellow Centaury plants are found. If Yellow Centaury occurs in different densities within the area searched, make separate calculations for each area, and sum them to give a total (see table over page). **Note: we only need the overall total for the area surveyed.**

If Yellow Centaury is **not found**, please record this, and continue to fill out the environmental sheet. The findings will help identify reasons for the plant's absence.

- **Check other likely habitats in the surrounds:** Finding out if Yellow Centaury occurs in other likely habitats within the same site helps us to understand if the species is part of a larger population, which may be important for its survival. Visit other likely habitat patches within the site to see if Yellow Centaury is present. **Complete a new form for each site searched.**
- **Mark the location:** It will be helpful to revisit these areas in future years. To ensure they can be found again by yourself or others please (a) provide an accurate grid reference, or (b) make a sketch of the locations where you have searched and (c) take photos.

Once completed, enter your results online: www.freshwaterhabitats.org.uk/projects/waternet, or give your recording forms and maps to your regional project officer and we can enter data for you: info@freshwaterhabitats.org.uk.

What it looks like: Yellow Centaury can be distinguished by its diminutive size and lemon-yellow flowers which only open on sunny days. These small annual plants grow 2 - 12cm tall, but are usually less than 10cm. The pale yellow flowers, consisting of four petals, grow at the end of single or branched pinkish/green stems. The small basal leaves grow flat to the ground and small linear leaves grow along the stem at intervals, although all the leaves tend to disappear as the plant ages. Later in the season, small seed pods ripen at the end of each stem.



Yellow Centaury: (a) Pale yellow with four petals Yellow Centaury flowers open to the sun © D. Gaudefroy; (b) Yellow Centaury plants growing in sparsely vegetated winter wet habitat © Bradford Botany Group and (c) seed pods developing on the tips of a Yellow Centaury plant.



Your name	<input style="width: 95%;" type="text"/>	Date	<input style="width: 95%;" type="text"/>
Square: 4 figure grid ref e.g. SP1243 (see your map)	<input style="width: 95%;" type="text"/>	Pond: 8 figure grid ref e.g. SP 1235 4325 (see your map)	<input style="width: 95%;" type="text"/>
Site name (if known)	<input style="width: 95%;" type="text"/>		
Determiner name (<i>optional</i> - if someone confirms the identity of the species you've recorded)	<input style="width: 95%;" type="text"/>	Voucher material (<i>optional</i> - comment if you've taken a photo to confirm identification)	<input style="width: 95%;" type="text"/>

If you find Yellow Centaury please take a confirmatory photo. You can also take a photo of your pond or your maps (or scan them if you have a scanner) and upload them with the record www.freshwaterhabitats.org.uk/projects/waternet.

Number of Yellow Centaury

If there are many plants, count the number in a small area (i.e. 1m²) and multiply up. We've put a table below to help you keep track and make notes, but for the analysis **we only need a total**.

Areas where Yellow Centaury was found (list): use this table to help with your number calculations, and so you/others can re-find plants on future visits.	Number of individuals
1.	<input style="width: 95%;" type="text"/>
2.	<input style="width: 95%;" type="text"/>
3.	<input style="width: 95%;" type="text"/>
4.	<input style="width: 95%;" type="text"/>
5.	<input style="width: 95%;" type="text"/>

Total number of Yellow Centaury (total count)

Provide a single total for the whole area as the actual or estimated number of plants recorded

Total number of Yellow Centaury (abundance category)

Then record the number of Yellow Centaury using the following abundance categories:
1, 2-5, 6-10, 11-20, 21-50, 51-100, 101-200, 201-500, 501-1000, 1001-5000, 5001-10000, 10001-20000, 20001+

Yellow Centaury looked for, but not found

Note: if you *don't* find evidence of Yellow Centaury at the pond, this is an important result so please still enter these findings online (tick box if none found)

Area of bare ground

% of the whole area where bare ground has been created by disturbance from people/livestock should include both wet and dry areas

%

Pond sketch map: Make a sketch map of your pond and draw on the location of Yellow Centaury: use shading if they cover a broad area, or 'x' marks the spot if there are just a few plants.

Location map: Use this box to show the location of the pond and surrounding ponds you searched (or mark the information on the base map included in your site information pack).

Please complete a HABITAT SURVEY sheet at each site surveyed.

This is a really important part of the survey. Please complete this form whether Yellow Centaury is present or absent. Each variable provides information known to be linked to site quality and community type, and can be used to investigate reasons for change in Yellow Centaury occurrence. If you are surveying non-pond habitat – complete all variables that apply.

Go to: www.freshwaterhabitats.org.uk/projects/pondnet/survey-options/habitats for survey guides and more information.

Is the pond new? (less than 10 yrs old) **Year of creation?** **Pond Altitude**
yes, no, unknown *date, decade, unknown* *(m)*

Area m² **Note:** This is the *surface area of the pond when the water is at its highest level (usually in early spring)*. It will probably *not* be the current water level of the pond. The high water level line should be evident from wetland vegetation like rushes at the pond's outer edge. Measure by pacing (single pace = 0.8-1m) or use online maps.

Pond dries? **1 = Never dries, 2 = Rarely dries:** no more than two years in any ten year period, or only in drought, **3 = Sometimes dries:** dries between three years in ten to most years, **4 = Dries annually.** Deduce pond permanence from local knowledge (e.g. landowner) and personal judgement e.g. water level at the time of the survey. Ponds that dry out annually usually have a hard base.

1 = never dries
 2 = rarely dries
 3 = sometimes
 4 = annually

Overhanging trees & shrubs % of pond overhung by trees and shrubs
 % pond margin overhung to at least 1m from the pond margin

This is an estimate of how much of the pond is *directly* overhung by trees and shrubs, i.e. that would be shaded if the sun was overhead (use the diagram (below) as a guide).

Waterfowl impact **Major** = severe impact of waterfowl e.g. few or no submerged plants, water turbid, pond banks have patches where vegetation removed, feed put down; **Minor** = waterfowl present, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; **None** = no evidence of waterfowl impact (moorhens may be present).

1 = major
 2 = minor
 3 = none

Fish presence **Major** = dense populations of fish known to be present; **Minor** = small numbers of Crucian Carp, goldfish or stickleback known to be present; **Possible** = no evidence of fish, but local conditions suggest that they may be present; **Absent** = no records of fish stocking and no fish revealed during survey.


1 = major
 2 = minor
 3 = possible
 4 = absent

Disturbance by dogs **Major** = dogs repeatedly use the pond, compacted edges with little vegetation, water very turbid; **Minor** = dogs use the pond, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; **None** = no evidence that dogs are using the pond.

1 = major
 2 = minor
 3 = none


Aquatic vegetation: includes emergent, floating and submerged plants
 % of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed) or submerged (e.g. water-crowfoot) species.

% of pond water surface area covered by all vegetation (emergent, floating (excl. duckweed) and submerged).



Water left in the pond % of water area in pond relative to maximum water level. This can be 0% if the pond has dried out.

cm Drawdown. The height drop from the maximum winter water level to current level (see diagram).



Grazing Tick if there is evidence the pond is grazed by livestock. If **yes**, complete the following boxes:
 % % of whole pond grazed (note: stock can wade into shallow ponds to graze).
 % % of pond perimeter grazed (note: stock can wade into shallow ponds to graze otherwise inaccessible edges).
 Grazing intensity: rank 1-5 (1=inrequent or low intensity to 5 = margins heavily poached and almost bare).

Pond management (tick): use tick boxes to list management within the last 12 months. Use 'other' box for any extra info.

<input type="checkbox"/> Fully dredged	<input type="checkbox"/> Partly dredged	<input type="checkbox"/> >5% vegetation removed	<input type="checkbox"/> <5% vegetation removed
<input type="checkbox"/> Trees planted	<input type="checkbox"/> Trees clear-felled	<input type="checkbox"/> Trees cut back / coppiced	<input type="checkbox"/> Pond changed shape / size
<input type="checkbox"/> Plants introduced	<input type="checkbox"/> Bank plants mown	<input type="checkbox"/> Structural work e.g. to dam	<input type="checkbox"/> Straw added

Add other or more detail

Water quality:

Turbidity / water clarity: Estimate turbidity looking down into c.20cm depth of water in the pond.

1 = clear; 2 = moderately clear; 3 = moderately turbid; 4 = turbid

Inflows and outflows: (tick if inflow or outflow present or leave blank)

Inflow present Outflow present

Water chemistry: If suitable kits and meters are available (or leave blank)

pH Conductivity ($\mu\text{S cm}^{-1}$)

Nitrate ($\text{NO}_3\text{-N ppm}$): PPW kits provided by FHT
(tick one from the following range categories)

<0.2 0.2-0.5 0.5-1 1-2 2-5 5-10 10 +

Phosphate ($\text{PO}_4\text{-P ppm}$): PPW kits provided by FHT
(tick one from the following range categories)

<0.02 0.02-0.05 0.05-0.1 0.1-0.2 0.2-0.5 0.5-1 1 +

Pond base: This refers to the *geology* (i.e. rock-type) that immediately underlies the pond. You may know, or be able to see the underlying geology in the base or banks of the pond, especially in new ponds. If not, check a geology map or leave this section blank. Choose one of the following to categorise the % composition of **each** of pond base: 1= 0-32%, 2= 33-66%, 3= 67-100%

Silt/ clay Sand, gravel, cobbles Hard rock Peat Other (please specify)

Surrounding land use: Estimate the *percentage* of surrounding land-use in distance zones from the pond perimeter (i.e. the maximum winter water level) used to assess pond area. In many ponds the 0-5m zone will include surrounding trees/scrub.

Habitat	0-5m	0-100m	Examples
Trees, woodland & scrub	%	%	Deciduous and coniferous woodland, individual trees, scrub and hedgerows.
Heath & moorland			Lowland and upland heathland, moorland and mountain; includes bracken.
Rank vegetation			Unmanaged grass, neglected and abandoned land, set-aside, verges and buffer strips.
Unimproved grassland			Herb-rich, calcareous and acid grassland (good quality plant indicators usually present). Low percentage of agricultural grasses. Not fertilised, little or no drainage.
Semi-improved grassland			A transition category. Grasslands modified by fertilisers, drainage, herbicides or intensive grazing, but retaining elements of natural grassland types in the area.
Improved grassland			Fertile agricultural grass, often bright green and lush; including parks and golf greens.
Arable			All crops. Includes flower and fruit crops (e.g. strawberries) and ploughed land.
Urban buildings & gardens			Areas in curtilage (associated with buildings); including glass-houses and farm yards.
Roads, tracks & paths			Including car-parks and footpaths.
Rock, stone & gravel			Cliffs, rock-outcrops, gravel-pits, quarries, areas of sand and gravel or stone.
Bog, fen, marsh & flush			Wetland vegetation and blanket bog.
Ponds & lakes			Permanent and seasonal waterbodies; including trackway pools.
Streams & ditches			Rivers, streams, ditches, springs and canals.
Other (state)			E.g. maritime vegetation, saltmarsh, sand-dune, orchards and railways.

Is the pond in a protected area? (e.g. nature reserve, SSSI, etc.) (choose one option - yes, no, unknown)

New Zealand Pigmyweed *Crassula helmsii*: This non-native weed may have an impact on this species.

% of drawdown zone occupied by New Zealand Pigmyweed

Identification of New Zealand Pigmyweed:

- Can be submerged, emergent and terrestrial.
- Forms dense mats below and above the water surface.
- The flowers it has, if any at all, are very small (less than 1cm) whitish-green to slightly pink with 4 petals.
- Leaves are up to 2cm long in opposite pairs - fleshy for emergent plants, but flatter for submerged parts of the plant.
- Similar species (such as the Water-starworts) do not have fleshy leaves. Water-starworts also have a notch at the leaf tip which is absent in New Zealand Pigmyweed.



Other invasive non-native species:
(tick all that apply)

Parrot's Feather
Myriophyllum aquaticum

Floating Pennywort
Hydrocotyle ranunculoides

Water Fern
Azolla filiculoides

Non-native Pondweed, e.g.:
Canadian Pondweed *Elodea canadensis*,
Nuttall's Pondweed *Elodea nuttallii*,
Curly Waterweed *Lagarosiphon major*

How much of pond perimeter could be surveyed? Note areas of pond not accessible.

Comments box: e.g. new ownership, changes since previous visit, any other information about the pond or survey species.